



RAYEE TECH LTD.

**No.148, Chunzhu Li, Taibao City, Chiayi County 612,
Taiwan (R.O.C.)**

TEL: 886-5-3717289 886-5-3712272 FAX: 886-5-3718239

Radareye <http://www.radarway.com.tw>

Specification



Features include:

Fully adjustable parking sensor

Front and rear jams 1*2 DIODES AND 4*2 HIGH LED mode

Press button ON/off the device

Size:

In car box (L x H x W) 93x25x48 mm

External heads (L x H x W) 65x20x30 mm

Operating temperature: -20°C to +70°C

Laser wavelength: 904 nm

Power:

Operational power supply 12,8V to 15V

Current consumption 300 mA max.

Speaker volume: 85 dB

Laser class: 1M

Built-in self-test: Performed at power-up (LED's flash + sound)

Operation:

Activation mode - few seconds following activation - selftest

Search mode - until LIDAR detection

Jamming mode - upon LIDAR detection


Standard Package:

Control box interface unit*1

Y extension cable*1

Transmitter head*2

Accessories bag with screws, etc.,



M45 laser system is compatible with all the latest laser guns including the LTI-Truspeed and Traffipatrol XR

As you have probably already seen from the videos, M45 laser system's performance and design makes it state of the art.

The compact main sensor head is designed for stealth install it's fully water proof sealed. Up to 6 heads can be connected to a single in car (Available as an option) box and extra Laser Diode heads are available at a very low cost.

The install kit supplied is the most comprehensive of any system available and makes fitting of the M45 laser system very simple and easy. It is compatible with all laser guns/Laser speed system from anywhere in the world including:



All Speed guns are tested by our development team.



MainMark



Truspeed



Utralyte 20-20 100RL



Utralyte 20-20 100



ProLaser III



Stalker - LZ-1



Laser Atlanta - SpeedLaser, S, R, Stealth Mode



Riegl - LR90-235



Jenoptik – LaserPatrol



NJL Kft - SCS-101/SCS-102



Traffic patrol XR